

Mode: All

Left file: X:\projects\ts-3000\buildroot\buildroot-2012.08\defconfig

Right file: X:\projects\ts-3000\buildroot\buildroot-2012.08\configs\buffalo_tsm_defconfig

	-+	
BR2_arm=y BR2_marvell_fv7=y	=	BR2_arm=y BR2_marvell_fv7=y
	-+	# # Commands # BR2_WGET="wget --passive-ftp -nd -t 3" BR2_SVN="svn" BR2_BZR="bzip" BR2_GIT="git" BR2_LOCALFILES="cp" BR2_SCP="scp" BR2_SSH="ssh" BR2_HG="hg" BR2_ZCAT="gzip -d -c" BR2_BZCAT="bzcat" BR2_XZCAT="xzcat" BR2_TAR_OPTIONS=""
BR2_DL_DIR="\$(TOPDIR)/../d1"	=	BR2_DL_DIR="\$(TOPDIR)/../d1"
	-+	BR2_HOST_DIR="\$(BASE_DIR)/host"
BR2_JLEVEL=8	=	BR2_JLEVEL=8
	-+	BR2_STRIP_strip=y BR2_STRIP_EXCLUDE_FILES="" BR2_STRIP_EXCLUDE_DIRS="" BR2_OPTIMIZE_S=y BR2_PACKAGE_OVERRIDE_FILE="\$(TOPDIR)/local.mk"
BR2_TOOLCHAIN_EXTERNAL=y BR2_TOOLCHAIN_EXTERNAL_CUSTOM=y	=	BR2_TOOLCHAIN_EXTERNAL=y BR2_TOOLCHAIN_EXTERNAL_CUSTOM=y
	-+	BR2_TOOLCHAIN_EXTERNAL_PREINSTALLED=y
BR2_TOOLCHAIN_EXTERNAL_PATH="/opt/armada-sdk-5 » .0/armv7-marvell-linux-gnueabi-softfp" BR2_TOOLCHAIN_EXTERNAL_CUSTOM_PREFIX="arm-marv » ell-linux-gnueabi" BR2_TOOLCHAIN_EXTERNAL_CUSTOM_GLIBC=y BR2_TOOLCHAIN_EXTERNAL_CXX=y	=	BR2_TOOLCHAIN_EXTERNAL_PATH="/opt/armada-sdk-5 » .0/armv7-marvell-linux-gnueabi-softfp" BR2_TOOLCHAIN_EXTERNAL_CUSTOM_PREFIX="arm-marv » ell-linux-gnueabi" BR2_TOOLCHAIN_EXTERNAL_CUSTOM_GLIBC=y BR2_TOOLCHAIN_EXTERNAL_CXX=y
	-+	BR2_TOOLCHAIN_EXTRA_EXTERNAL_LIBS=""
BR2_PACKAGE_GDB=y	=	BR2_PACKAGE_GDB=y
	-+	BR2_GDB_VERSION_7_4=y BR2_GDB_VERSION="7.4.1" BR2_LARGEFILE=y BR2_INET_IPV6=y BR2_INET_RPC=y BR2_USE_WCHAR=y BR2_ENABLE_LOCALE=y BR2_INSTALL_LIBSTDCPP=y BR2_TOOLCHAIN_HAS_THREADS=y BR2_TOOLCHAIN_HAS_THREADS_DEBUG=y BR2_TOOLCHAIN_HAS_THREADS_DEBUG_IF_NEEDED=y BR2_TOOLCHAIN_HAS_SHADOW_PASSWORDS=y
BR2_ENABLE_LOCALE_PURGE=y BR2_ENABLE_LOCALE_WHITELIST="C en_US"	=	BR2_ENABLE_LOCALE_PURGE=y BR2_ENABLE_LOCALE_WHITELIST="C en_US"
	-+	BR2_GENERATE_LOCALE=""

Left file: X:\projects\ts-3000\buildroot\buildroot-2012.08\defconfig

Right file: X:\projects\ts-3000\buildroot\buildroot-2012.08\configs\buffalo_tsm_defconfig

(continued)

		BR2_USE_MMU=y
		BR2_PREFER_SOFT_FLOAT=y
BR2_TARGET_OPTIMIZATION="-pipe "	=	BR2_TARGET_OPTIMIZATION="-pipe "
	-+	BR2_TARGET_LDFLAGS=""
BR2_TARGET_GENERIC_HOSTNAME="ts-3000"	=	BR2_TARGET_GENERIC_HOSTNAME="ts-3000"
BR2_ROOTFS_DEVICE_CREATION_DYNAMIC_MDEV=y		BR2_ROOTFS_DEVICE_CREATION_DYNAMIC_MDEV=y
	-+	BR2_INIT_BUSYBOX=y
BR2_ROOTFS_DEVICE_TABLE="target/generic/device » _table.txt target/generic/device_table_dev.t » xt"	=	BR2_ROOTFS_DEVICE_TABLE="target/generic/device » _table.txt target/generic/device_table_dev.t » xt"
BR2_ROOTFS_SKELETON_CUSTOM=y		BR2_ROOTFS_SKELETON_CUSTOM=y
	-+	BR2_ROOTFS_SKELETON_CUSTOM_PATH=./hdd_root_fs » _skeleton/ BR2_TARGET_GENERIC_GETTY_PORT="ttyS0" BR2_TARGET_GENERIC_GETTY_BAUDRATE_115200=y BR2_TARGET_GENERIC_GETTY_BAUDRATE="115200" BR2_TARGET_GENERIC_REMOUNT_ROOTFS_RW=y BR2_ROOTFS_POST_BUILD_SCRIPT=""
BR2_PACKAGE_TINYRAMFS=y	=	BR2_PACKAGE_TINYRAMFS=y
	-+	BR2_PACKAGE_BUSYBOX=y
BR2_BUSYBOX_VERSION_1_19_X=y	=	BR2_BUSYBOX_VERSION_1_19_X=y
	-+	BR2_BUSYBOX_VERSION="1.19.2"
BR2_PACKAGE_BUSYBOX_CONFIG="package/busybox/bu » sybox-1.18.x-ts-3000.config"	=	BR2_PACKAGE_BUSYBOX_CONFIG="package/busybox/bu » sybox-1.18.x-ts-3000.config"
BR2_PACKAGE_BUSYBOX_SHOW_OTHERS=y		BR2_PACKAGE_BUSYBOX_SHOW_OTHERS=y
BR2_PACKAGE_LINUX_PAM=y		BR2_PACKAGE_LINUX_PAM=y
BR2_PACKAGE_NAS_APPS=y		BR2_PACKAGE_NAS_APPS=y
BR2_PACKAGE_ALSA_UTILS=y		BR2_PACKAGE_ALSA_UTILS=y
	-+	BR2_PACKAGE_ALSA_UTILS_ALSACTL=y BR2_PACKAGE_ALSA_UTILS_ALSAMIXER=y
BR2_PACKAGE_ALSA_UTILS_AMIXER=y	=	BR2_PACKAGE_ALSA_UTILS_AMIXER=y
BR2_PACKAGE_ALSA_UTILS_APLAY=y		BR2_PACKAGE_ALSA_UTILS_APLAY=y
	-+	BR2_PACKAGE_BZIP2=y
BR2_PACKAGE_GZIP=y	=	BR2_PACKAGE_GZIP=y
BR2_PACKAGE_LZOP=y		BR2_PACKAGE_LZOP=y
BR2_PACKAGE_XZ=y		BR2_PACKAGE_XZ=y
BR2_PACKAGE_DHRYSTONE=y		BR2_PACKAGE_DHRYSTONE=y
BR2_PACKAGE_DT=y		BR2_PACKAGE_DT=y
BR2_PACKAGE_KEXEC=y		BR2_PACKAGE_KEXEC=y
BR2_PACKAGE_KEXEC_ZLIB=y		BR2_PACKAGE_KEXEC_ZLIB=y
BR2_PACKAGE_LMBENCH=y		BR2_PACKAGE_LMBENCH=y
BR2_PACKAGE_LSOF=y		BR2_PACKAGE_LSOF=y
BR2_PACKAGE_LTRACE=y		BR2_PACKAGE_LTRACE=y
BR2_PACKAGE_NETPERF=y		BR2_PACKAGE_NETPERF=y
BR2_PACKAGE_STRACE=y		BR2_PACKAGE_STRACE=y
BR2_PACKAGE_WHETSTONE=y		BR2_PACKAGE_WHETSTONE=y
BR2_PACKAGE_COREUTILS=y		BR2_PACKAGE_COREUTILS=y
BR2_PACKAGE_FINDUTILS=y		BR2_PACKAGE_FINDUTILS=y
BR2_PACKAGE_GAWK=y		BR2_PACKAGE_GAWK=y
BR2_PACKAGE_GMP=y		BR2_PACKAGE_GMP=y
BR2_PACKAGE_GREP=y		BR2_PACKAGE_GREP=y
BR2_PACKAGE_SED=y		BR2_PACKAGE_SED=y

Left file: X:\projects\ts-3000\buildroot\buildroot-2012.08\defconfig

Right file: X:\projects\ts-3000\buildroot\buildroot-2012.08\configs\buffalo_tsm_defconfig

(continued)

BR2_PACKAGE_TAR=y BR2_PACKAGE_DOSFSTOOLS=y BR2_PACKAGE_DOSFSTOOLS_MKDOSFS=y BR2_PACKAGE_DOSFSTOOLS_DOSFCK=y BR2_PACKAGE_E2FSPROGS=y BR2_PACKAGE_GDISK=y BR2_PACKAGE_GDISK_GDISK=y BR2_PACKAGE_GDISK_SGDISK=y BR2_PACKAGE_HDPARM=y BR2_PACKAGE_IOSTAT=y BR2_PACKAGE_LVM2=y BR2_PACKAGE_MAKEDEVS=y BR2_PACKAGE_MDADM=y BR2_PACKAGE_MTD=y BR2_PACKAGE_MTD_MKFSJFFS2=y BR2_PACKAGE_NTFS_3G=y BR2_PACKAGE_PCIUTILS=y BR2_PACKAGE_SDPARM=y BR2_PACKAGE_SMARTMONTTOOLS=y BR2_PACKAGE_SYSSTAT=y BR2_PACKAGE_USBUTILS=y BR2_PACKAGE_USBUTILS_ZLIB=y BR2_PACKAGE_XFSPROGS=y		BR2_PACKAGE_TAR=y BR2_PACKAGE_DOSFSTOOLS=y BR2_PACKAGE_DOSFSTOOLS_MKDOSFS=y BR2_PACKAGE_DOSFSTOOLS_DOSFCK=y BR2_PACKAGE_E2FSPROGS=y BR2_PACKAGE_GDISK=y BR2_PACKAGE_GDISK_GDISK=y BR2_PACKAGE_GDISK_SGDISK=y BR2_PACKAGE_HDPARM=y BR2_PACKAGE_IOSTAT=y BR2_PACKAGE_LVM2=y BR2_PACKAGE_MAKEDEVS=y BR2_PACKAGE_MDADM=y BR2_PACKAGE_MTD=y BR2_PACKAGE_MTD_MKFSJFFS2=y BR2_PACKAGE_NTFS_3G=y BR2_PACKAGE_PCIUTILS=y BR2_PACKAGE_SDPARM=y BR2_PACKAGE_SMARTMONTTOOLS=y BR2_PACKAGE_SYSSTAT=y BR2_PACKAGE_USBUTILS=y BR2_PACKAGE_USBUTILS_ZLIB=y BR2_PACKAGE_XFSPROGS=y
	-+	BR2_PACKAGE_ALSA_LIB_DEVDIR="/dev/snd" BR2_PACKAGE_ALSA_LIB_PCM_PLUGINS="all" BR2_PACKAGE_ALSA_LIB_CTL_PLUGINS="all" BR2_PACKAGE_ALSA_LIB_ALOAD=y BR2_PACKAGE_ALSA_LIB_MIXER=y BR2_PACKAGE_ALSA_LIB_PCM=y BR2_PACKAGE_ALSA_LIB_RAWMIDI=y BR2_PACKAGE_ALSA_LIB_HWDEP=y BR2_PACKAGE_ALSA_LIB_SEQ=y BR2_PACKAGE_ALSA_LIB_ALISP=y BR2_PACKAGE_ALSA_LIB_OLD_SYMBOLS=y BR2_PACKAGE_LZO=y BR2_PACKAGE_ZLIB=y BR2_PACKAGE_OCF_LINUX=y BR2_PACKAGE_OPENSSL=y
BR2_PACKAGE_OPENSSL_BIN=y BR2_PACKAGE_OPENSSL_ENGINES=y BR2_PACKAGE_OPENSSL_OCF=y	=	BR2_PACKAGE_OPENSSL_BIN=y BR2_PACKAGE_OPENSSL_ENGINES=y BR2_PACKAGE_OPENSSL_OCF=y
	-+	BR2_PACKAGE_LIBUSB=y
BR2_PACKAGE_LIBUSB_COMPAT=y	=	BR2_PACKAGE_LIBUSB_COMPAT=y
	-+	BR2_PACKAGE_LIBNL=y BR2_PACKAGE_LIBPCAP=y BR2_PACKAGE_LIBELF=y BR2_PACKAGE_NCURSES=y BR2_PACKAGE_NCURSES_TARGET_PANEL=y BR2_PACKAGE_NCURSES_TARGET_FORM=y BR2_PACKAGE_NCURSES_TARGET_MENU=y BR2_PACKAGE_PCRE=y BR2_PACKAGE_POPT=y

Left file: X:\projects\ts-3000\buildroot\buildroot-2012.08\defconfig

Right file: X:\projects\ts-3000\buildroot\buildroot-2012.08\configs\buffalo_tsm_defconfig

(continued)

		BR2_PACKAGE_READLINE=y
BR2_PACKAGE_DNSMASQ=y	=	BR2_PACKAGE_DNSMASQ=y
	++	BR2_PACKAGE_DNSMASQ_TFTP=y BR2_PACKAGE_DNSMASQ_DHCP=y
BR2_PACKAGE_DROPBEAR=y	=	BR2_PACKAGE_DROPBEAR=y
	++	BR2_PACKAGE_DROPBEAR_SMALL=y
BR2_PACKAGE_ETHTOOL=y BR2_PACKAGE_HOSTAPD=y BR2_PACKAGE_IPERF=y BR2_PACKAGE_IPTABLES=y BR2_PACKAGE_IW=y BR2_PACKAGE_LIGHTTPD=y BR2_PACKAGE_LIGHTTPD_OPENSSL=y BR2_PACKAGE_LIGHTTPD_ZLIB=y BR2_PACKAGE_LIGHTTPD_BZIP2=y BR2_PACKAGE_LIGHTTPD_PCRE=y BR2_PACKAGE_LINKS=y BR2_PACKAGE_NETCAT=y BR2_PACKAGE_NFS_UTILS=y BR2_PACKAGE_NTP=y # BR2_PACKAGE_NTP_NTPD is not set BR2_PACKAGE_NTP_NTPDATE=y	=	BR2_PACKAGE_ETHTOOL=y BR2_PACKAGE_HOSTAPD=y BR2_PACKAGE_IPERF=y BR2_PACKAGE_IPTABLES=y BR2_PACKAGE_IW=y BR2_PACKAGE_LIGHTTPD=y BR2_PACKAGE_LIGHTTPD_OPENSSL=y BR2_PACKAGE_LIGHTTPD_ZLIB=y BR2_PACKAGE_LIGHTTPD_BZIP2=y BR2_PACKAGE_LIGHTTPD_PCRE=y BR2_PACKAGE_LINKS=y BR2_PACKAGE_NETCAT=y BR2_PACKAGE_NFS_UTILS=y BR2_PACKAGE_NTP=y # BR2_PACKAGE_NTP_NTPD is not set BR2_PACKAGE_NTP_NTPDATE=y
	++	BR2_PACKAGE_PORTMAP=y
BR2_PACKAGE_PPPD=y BR2_PACKAGE_PPTP_LINUX=y BR2_PACKAGE_PROFTPD=y BR2_PACKAGE_RP_PPPOE=y BR2_PACKAGE_RSYNC=y BR2_PACKAGE_SAMBA=y	=	BR2_PACKAGE_PPPD=y BR2_PACKAGE_PPTP_LINUX=y BR2_PACKAGE_PROFTPD=y BR2_PACKAGE_RP_PPPOE=y BR2_PACKAGE_RSYNC=y BR2_PACKAGE_SAMBA=y
	++	BR2_PACKAGE_SAMBA_NMBD=y BR2_PACKAGE_SAMBA_SMBD=y BR2_PACKAGE_SAMBA_SMBPASSWD=y
BR2_PACKAGE_TCPDUMP=y BR2_PACKAGE_TCPDUMP_SMB=y BR2_PACKAGE_WGET=y BR2_PACKAGE_WIRELESS_TOOLS=y BR2_PACKAGE_APT=y BR2_PACKAGE_DPKG=y BR2_PACKAGE_BASH=y BR2_PACKAGE_FILE=y BR2_PACKAGE_WHICH=y BR2_PACKAGE_HTOP=y BR2_PACKAGE_KMOD=y BR2_PACKAGE_MODULE_INIT_TOOLS=y BR2_PACKAGE_PROCP=y BR2_PACKAGE_PSMISC=y BR2_PACKAGE_SYSKLOGD=y	=	BR2_PACKAGE_TCPDUMP=y BR2_PACKAGE_TCPDUMP_SMB=y BR2_PACKAGE_WGET=y BR2_PACKAGE_WIRELESS_TOOLS=y BR2_PACKAGE_APT=y BR2_PACKAGE_DPKG=y BR2_PACKAGE_BASH=y BR2_PACKAGE_FILE=y BR2_PACKAGE_WHICH=y BR2_PACKAGE_HTOP=y BR2_PACKAGE_KMOD=y BR2_PACKAGE_MODULE_INIT_TOOLS=y BR2_PACKAGE_PROCP=y BR2_PACKAGE_PSMISC=y BR2_PACKAGE_SYSKLOGD=y
	++	BR2_PACKAGE_UTIL_LINUX=y BR2_PACKAGE_UTIL_LINUX_LIBUUID=y BR2_PACKAGE_UTIL_LINUX_LIBBLKID=y
BR2_PACKAGE_NANO=y	=	BR2_PACKAGE_NANO=y
	++	BR2_PACKAGE_NANO_TINY=y

Left file: X:\projects\ts-3000\buildroot\buildroot-2012.08\defconfig

Right file: X:\projects\ts-3000\buildroot\buildroot-2012.08\configs\buffalo_tsm_defconfig

(continued)

		BR2_TARGET_ROOTFS_TAR=y BR2_TARGET_ROOTFS_TAR_NONE=y BR2_TARGET_ROOTFS_TAR_OPTIONS=""
BR2_LINUX_KERNEL=y BR2_LINUX_KERNEL_CUSTOM_VERSION=y BR2_LINUX_KERNEL_CUSTOM_VERSION_VALUE="3.0.6"	=	BR2_LINUX_KERNEL=y BR2_LINUX_KERNEL_CUSTOM_VERSION=y BR2_LINUX_KERNEL_CUSTOM_VERSION_VALUE="3.0.6"
	++	BR2_LINUX_KERNEL_VERSION="3.0.6"
BR2_LINUX_KERNEL_PATCH="\$(DL_DIR)/linux-3.0.6- » axp-2.0.6.patch" BR2_LINUX_KERNEL_USE_CUSTOM_CONFIG=y BR2_LINUX_KERNEL_CUSTOM_CONFIG_FILE="linux/arm » ada_xp_buffalo_config"	=	BR2_LINUX_KERNEL_PATCH="\$(DL_DIR)/linux-3.0.6- » axp-2.0.6.patch" BR2_LINUX_KERNEL_USE_CUSTOM_CONFIG=y BR2_LINUX_KERNEL_CUSTOM_CONFIG_FILE="linux/arm » ada_xp_buffalo_config"
	++	BR2_LINUX_KERNEL_UBOOT_IMAGE=y BR2_LINUX_KERNEL_UIMAGE=y